



kerakoll

DECLARATION OF PERFORMANCE No 0241

1. Unique identification code of the product-type: **LEGNO MEDIUM**
2. Intended use/es:
Solid parquet elements made of hardwood oak, dimension 400/50/10 mm, without surface finish, intended to be glued or nailed to the load-bearing substrate in interior applications.
3. Manufacturer: **Kerakoll S.p.A Via dell'Artigianato, 9 - 41049 Sassuolo (MO) Italia**
4. System/s of AVCP:
Systema 3
5. Harmonised standard: **EN14342:2013**
Notified body/ies: **Treviso Tecnologia No1600**
6. Declared performance/s:

Essential characteristics	Performance
Reaction to fire, linked with: - the minimum mean density, - the minimum overall thickness	C_{fi}-s₁ 691 kg/m³ 10 mm
Emission of (release) formaldehyde	E1
Breaking strength (max. load) and span	NPD
Slipperiness USRV	NPD
Thermal conductivity	0,17 W/mK
Biological durability	Class 2

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: **Romano Sghedoni (legal representative)**

At Sassuolo, on 14/09/2017

kerakoll.com

KERAKOLL Spa - Società con unico socio Fin Firel Spa - Soggetta a direzione e coordinamento di Fin-Firel Spa
via dell'Artigianato, 9 - 41049 Sassuolo (MO) Italia - Tel +39 0536 816 511 - Fax +39 0536 816 581 - e-mail: info@kerakoll.com
Rea MO n. 231812 - Reg. Imp. / Cod. Fisc. / P. Iva IT 01174510360 - Cap. Soc. € 2.000.000,00 i.v.