


# Fugarok kerakoll

Mineral grout for  
ceramic tiles and  
natural stone.

High workability  
and high-performance,  
ultra-cleanable.






# Fugarok


Mineral grout for the finishing of porcelain tiles, ceramic tiles, cotto and natural stone.

Suitable for internal and external floors and walls for domestic, commercial, industrial uses and in environments subject to heavy traffic.


- Prolonged workability
- High filling power and no shrinkage
- Compact and even finish
- High mechanical resistance
- Waterproofed, specific for outdoor use



→ Available in the **Cement Grey** version and in **6 colours**



KK 2



KK 66



KK 69



KK 71



KK 86



KK 109

The colours are for indicative purposes only.



# Fugarok, the easy and quick solution.

Fugarok develops a semi-fluid rheology for extended-workability, guaranteeing fill joints fully and leave the surface easy to clean, whatever the conditions.

## → **Prolonged workability**

Fugarok develops a semi-fluid paste that is easy to apply and has a long workability, whatever the building site conditions.

It maintains a compact and workable mixture without the need for additions of water and re-mixing.

## → **Ultra-cleanable, full joints**

Fugarok can also be easily cleaned from structured tiles and natural stone.

Thanks to its high filling power, it guarantees total filling of the joint and no shrinkage.

## → **Calibrated granulometric curve**

Thanks to its innovative mixture of aggregates with a selected granulometric curve, the finish is compact and uniform.

## → **High mechanical resistance**

Thanks to its specific, hygroprotected formulation, Fugarok guarantees high resistance to abrasion and atmospheric agents as well as insensitivity to frost, even in the most extreme conditions.



# kerakoll



[kerakoll.com](http://kerakoll.com)

EN - 24/2024